

Grade 8 Mathematics



Claim	Target	IAB	DOK	Standards	Item Types
1: Concepts and Procedures	A: Know that there are numbers that are not rational, and approximate them by rational numbers.	No IAB	1, 2	8.NS.1: Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.	MS, MC, MA, EQ, DD, G
				8.NS.2: Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., π^2). For example, by truncating the decimal expansion of $\sqrt{2}$, show that $\sqrt{2}$ is between 1 and 2, then between 1.4 and 1.5, and explain how to continue on to get better approximations.	
	B: Work with radicals and integer exponents.	Expressions & Equations	1, 2	8.EE.1: Know and apply the properties of integer exponents to generate equivalent numerical expressions. For example, $3^2 \times 3^{-5} = 3^{-3} = 1/3^3 = 1/27$.	MC, MS, EQ
				8.EE.2: Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$, where p is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational.	
8.EE.3: Use numbers expressed in the form of a single digit times an integer power of 10 to estimate very large or very small quantities, and to express how many times as much one is than the other. For example, estimate the population of the United States as 3×10^8 and the population of the world as 7×10^9 , and determine that the world population is more than 20 times larger.					
8.EE.4: Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g., use millimeters per year for seafloor spreading). Interpret scientific notation that has been generated by technology.					

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
1: Concepts and Procedures	C: Understand the connections between proportional relationships, lines, and linear equations.	Expressions & Equations	1, 2	<p>8.EE.5: Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.</p> <p>8.EE.6: Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at b.</p>	MC, EQ, G
	D: Analyze and solve linear equations and pairs of simultaneous linear equations.	<p>Expressions & Equations</p> <p>Expressions & Equations II with Statistics</p>	1, 2	<p>8.EE.7: Solve linear equations in one variable.</p> <p>8.EE.7a: Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$, $a = a$, or $a = b$ results (where a and b are different numbers).</p> <p>8.EE.7b: Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.</p>	MC, MS, DD, EQ, G

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
1: Concepts and Procedures	D: Analyze and solve linear equations and pairs of simultaneous linear equations.	Expressions & Equations	1, 2	<p>8.EE.8: Analyze and solve pairs of simultaneous linear equations</p> <p>8.EE.8a: Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.</p> <p>8.EE.8b: Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. For example, $3x + 2y = 5$ and $3x + 2y = 6$ have no solution because $3x + 2y$ cannot simultaneously be 5 and 6.</p> <p>8.EE.8c: Solve real-world and mathematical problems leading to two linear equations in two variables. For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through and second pair.</p>	MC, MS, DD, EQ, G
		Expressions & Equations II with Statistics			

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
1: Concepts and Procedures	E: Define, evaluate, and compare functions.	Functions	1, 2	<p>8.F.1: Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.</p> <p>8.F.2: Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.</p> <p>8.F.3: Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear. For example, the function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points (1,1), (2,4) and (3,9), which are not on a straight line.</p>	MS, MC, EQ, MA
	F: Use functions to model relationships between quantities.	Functions	1, 2	<p>8.F.4: Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.</p> <p>8.F.5: Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.</p>	EQ, MA, MC, G

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
<p>1: Concepts and Procedures</p>	<p>G: Understand congruence and similarity using physical models, transparencies, or geometry software.</p>	<p>Geometry</p>	<p>1, 2</p>	<p>8.G.1: Verify experimentally the properties of rotations, reflections, and translations: 8.G.1a: Lines are taken to lines, and line segments to line segments of the same length. 8.G.1b: Angles are taken to angles of the same measure. 8.G.1c: Parallel lines are taken to parallel lines.</p>	<p>MA, EQ, HS, G</p>
				<p>8.G.2: Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.</p>	
				<p>8.G.3: Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.</p>	
				<p>8.G.4: Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.</p>	
				<p>8.G.5: Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles. For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.</p>	

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
1: Concepts and Procedures	H: Understand and apply the Pythagorean Theorem.	Geometry	1, 2	<p>8.G.6: Explain a proof of the Pythagorean Theorem and its converse.</p> <p>8.G.7: Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.</p> <p>8.G.8: Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.</p>	EQ, MC
	I: Solve real-world and mathematical problems involving volume of cylinders, cones, and spheres.	Geometry	1, 2	<p>8.G.9: Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.</p>	EQ, MC

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
1: Concepts and Procedures.	J: Investigate patterns of association in bivariate data.	Expressions & Equations II with Statistics	1, 2	8.SP.1: Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.	MA, MC
				8.SP.2: Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.	
				8.SP.3: Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr. as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.	
				8.SP.4: Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables. For example, collect data from students in your class on whether or not they have a curfew on school nights and whether or not they have assigned chores at home. Is there evidence that those who have a curfew also tend to have chores?	

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
2: Problem Solving	A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)	Expressions & Equations	8.EE.5: Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.	MC, MS, EQ, DD, HS, GI, MA, TI ST (PT Only)
	B: Select and use appropriate tools strategically. (1, 2, 3)	Expressions & Equations II with Statistics	8.EE.6: Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at b .	
	C: Interpret results in the context of a situation. (1, 2, 3)	Functions	8.EE.7: Solve linear equations in one variable.	
	D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)	Geometry Performance Task	8.EE.7a: Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$, $a = a$, or $a = b$ results (where a and b are different numbers). 8.EE.7b: Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.	

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
2: Problem Solving	<p>A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p>B: Select and use appropriate tools strategically. (1, 2, 3)</p> <p>C: Interpret results in the context of a situation. (1, 2, 3)</p> <p>D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	<p>Expressions & Equations</p> <p>Expressions & Equations II with Statistics</p> <p>Functions</p> <p>Geometry</p> <p>Performance Task</p>	<p>8.EE.8: Analyze and solve pairs of simultaneous linear equations</p> <p>8.EE.8a: Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.</p> <p>8.EE.8b: Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. For example, $3x + 2y = 5$ and $3x + 2y = 6$ have no solution because $3x + 2y$ cannot simultaneously be 5 and 6.</p> <p>8.EE.8c: Solve real-world and mathematical problems leading to two linear equations in two variables. For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through the second pair.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>
	<p>8.F.1: Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.</p>			

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
2: Problem Solving	A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)	Expressions & Equations	8.F.2: Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.	MC, MS, EQ, DD, HS, GI, MA, TI ST (PT Only)
	B: Select and use appropriate tools strategically. (1, 2, 3)	Expressions & Equations II with Statistics	8.F.3: Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear. For example, the function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points (1,1), (2,4) and (3,9), which are not on a straight line.	
	C: Interpret results in the context of a situation. (1, 2, 3)	Functions	8.F.4: Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.	
	D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)	Geometry Performance Task	8.F.5: Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.	

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
2: Problem Solving	<p>A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p>B: Select and use appropriate tools strategically. (1, 2, 3)</p> <p>C: Interpret results in the context of a situation. (1, 2, 3)</p> <p>D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	Expressions & Equations	<p>8.G.1: Verify experimentally the properties of rotations, reflections, and translations:</p> <p>8.G.1a. Lines are taken to lines, and line segments to line segments of the same length.</p> <p>8.G.1b. Angles are taken to angles of the same measure.</p> <p>8.G.1c. Parallel lines are taken to parallel lines.</p>	MC, MS, EQ, DD, HS, GI, MA, TI ST (PT Only)
		Expressions & Equations II with Statistics	8.G.2: Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.	
		Functions	8.G.3: Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.	
		Geometry	8.G.4: Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.	
		Performance Task	8.G.5: Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles. For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.	

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
2: Problem Solving	<p>A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p>B: Select and use appropriate tools strategically. (1, 2, 3)</p> <p>C: Interpret results in the context of a situation. (1, 2, 3)</p> <p>D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	Expressions & Equations	8.G.6: Explain a proof of the Pythagorean Theorem and its converse.	MC, MS, EQ, DD, HS, GI, MA, TI ST (PT Only)
			Expressions & Equations II with Statistics	
		Functions	8.G.8: Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.	
		Geometry	8.G.9: Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.	
		Performance Task		

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
3: Communicating Reasoning	A: Test propositions or conjectures with specific examples. (2, 3)	Expressions & Equations	8.EE.1: Know and apply the properties of integer exponents to generate equivalent numerical expressions. For example, $3^2 \times 3^{-5} = 3^{-3} = 1/3^3 = 1/27$.	MC, MS, EQ, DD, HS, GI, MA, TI ST (PT Only)
	B: Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)		8.EE.5: Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.	
	C: State logical assumptions being used. (2, 3)	Expressions & Equations II with Statistics	8.EE.6: Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at b .	
	D: Use the technique of breaking an argument into cases. (2, 3)	Functions	8.EE.7: Solve linear equations in one variable. 8.EE.7a: Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$, $a = a$, or $a = b$ results (where a and b are different numbers). 8.EE.7b: Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.	
	E: Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)	Geometry		
	F: Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)	Performance Task		
G: At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)				

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<p>3: Communicating Reasoning</p>	<p>A: Test propositions or conjectures with specific examples. (2, 3)</p>	<p>Expressions & Equations</p> <p>Expressions & Equations II with Statistics</p> <p>Functions</p> <p>Geometry</p> <p>Performance Task</p>	<p>8.EE.8: Analyze and solve pairs of simultaneous linear equations.</p> <p>8.EE.8a: Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>
	<p>B: Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)</p>		<p>8.F.1: Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.</p>	
	<p>C: State logical assumptions being used. (2, 3)</p>		<p>8.F.2: Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.</p>	
	<p>D: Use the technique of breaking an argument into cases. (2, 3)</p>		<p>8.F.3: Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear. For example, the function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points (1,1), (2,4) and (3,9), which are not on a straight line.</p>	
	<p>E: Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)</p>			
	<p>F: Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)</p>			
	<p>G: At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)</p>			

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<p>3: Communicating Reasoning</p>	<p>A: Test propositions or conjectures with specific examples. (2, 3)</p>	<p>Expressions & Equations</p> <p>Expressions & Equations II with Statistics</p> <p>Functions</p> <p>Geometry</p> <p>Performance Task</p>	<p>8.G.1: Verify experimentally the properties of rotations, reflections, and translations:</p> <p>8.G.1a: Lines are taken to lines, and line segments to line segments of the same length.</p> <p>8.G.1b: Angles are taken to angles of the same measure.</p> <p>8.G.1c: Parallel lines are taken to parallel lines.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>
	<p>B: Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)</p>		<p>8.G.2: Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.</p>	
	<p>C: State logical assumptions being used. (2, 3)</p>		<p>8.G.4: Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.</p>	
	<p>D: Use the technique of breaking an argument into cases. (2, 3)</p>		<p>8.G.5: Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles. For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.</p>	
	<p>E: Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)</p>		<p>8.G.6: Explain a proof of the Pythagorean Theorem and its converse.</p>	
	<p>F: Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)</p>		<p>8.G.8: Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.</p>	
	<p>G: At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)</p>			

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
4: Modeling and Data Analysis	A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)	Expressions & Equations Expressions & Equations II with Statistics Functions Geometry Performance Task	8.EE.3: Use numbers expressed in the form of a single digit times an integer power of 10 to estimate very large or very small quantities, and to express how many times as much one is than the other. For example, estimate the population of the United States as 3×10^8 and the population of the world as 7×10^9 , and determine that the world population is more than 20 times larger.	MC, MS, EQ, DD, HS, GI, MA, TI ST (PT Only)
	B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)		8.EE.4: Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g., use millimeters per year for seafloor spreading). Interpret scientific notation that has been generated by technology.	
	C: State logical assumptions being used. (1, 2, 3)		8.EE.5: Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.	
	D: Interpret results in the context of a situation. (2, 3)		8.EE.6: Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at b .	
	E: Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)			
	F: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)			
	G: Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)			

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<p>4: Modeling and Data Analysis</p>	<p>A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</p>	<p>Expressions & Equations</p> <p>Expressions & Equations II with Statistics</p> <p>Functions</p> <p>Geometry</p> <p>Performance Task</p>	<p>8.EE.7: Solve linear equations in one variable.</p> <p>8.EE.7a: Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$, $a = a$, or $a = b$ results (where a and b are different numbers).</p> <p>8.EE.7b: Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>
	<p>B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</p>		<p>8.EE.8: Analyze and solve pairs of simultaneous linear equations.</p> <p>8.EE.8a: Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.</p> <p>8.EE.8b: Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. For example, $3x + 2y = 5$ and $3x + 2y = 6$ have no solution because $3x + 2y$ cannot simultaneously be 5 and 6.</p> <p>8.EE.8c: Solve real-world and mathematical problems leading to two linear equations in two variables. For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through and second pair.</p>	
	<p>C: State logical assumptions being used. (1, 2, 3)</p>			
	<p>D: Interpret results in the context of a situation. (2, 3)</p>			
	<p>E: Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)</p>			
	<p>F: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>			
<p>G: Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</p>				

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
4: Modeling and Data Analysis	A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)	Expressions & Equations	8.F.4: Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.	MC, MS, EQ, DD, HS, GI, MA, TI ST (PT Only)
	B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)		8.F.5: Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.	
	C: State logical assumptions being used. (1, 2, 3)	Expressions & Equations II with Statistics	8.G.6: Explain a proof of the Pythagorean Theorem and its converse.	
	D: Interpret results in the context of a situation. (2, 3)	Functions	8.G.7: Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.	
	E: Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)	Geometry	8.G.8: Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.	
	F: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)	Performance Task	8.G.9: Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.	
	G: Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)		8.SP.1: Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.	

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<p>4: Modeling and Data Analysis</p>	<p>A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</p>	<p>Expressions & Equations</p> <p>Expressions & Equations II with Statistics</p> <p>Functions</p> <p>Geometry</p> <p>Performance Task</p>	<p>8.SP.2: Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>
	<p>B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</p>		<p>8.SP.3: Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr. as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.</p>	
	<p>C: State logical assumptions being used. (1, 2, 3)</p>		<p>8.SP.4: Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables. For example, collect data from students in your class on whether or not they have a curfew on school nights and whether or not they have assigned chores at home. Is there evidence that those who have a curfew also tend to have chores?</p>	
	<p>D: Interpret results in the context of a situation. (2, 3)</p>			
<p>E: Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)</p>				
<p>F: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>				
<p>G: Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</p>				

* Shaded standards denote additional and supporting clusters

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.